

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|---|------------------|
| 1 | 21116 | 713/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:34 |
| 2 | 10847 | 713/\$.ccls. and @ad<19991115 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:23 |
| 4 | 1203 | (713/\$.ccls. and @ad<19991115) and (stor\$3 near1 key) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 12:34 |
| 6 | 531 | ((713/\$.ccls. and @ad<19991115) and (stor\$3 near1 key)) and (authenticat\$ and ((generat\$ or creat\$ or comput\$ or calculat\$ or produc\$5) near1 key)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 12:59 |
| 19 | 262 | (((713/\$.ccls. and @ad<19991115) and (stor\$3 near1 key)) and (authenticat\$ and ((generat\$ or creat\$ or comput\$ or calculat\$ or produc\$5) near1 key))) and ((informat\$ or data or vector) with ((generat\$ or creat\$ or comput\$ or calculat\$ or produc\$5) near1 key)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:31 |
| 20 | 21 | (((713/\$.ccls. and @ad<19991115) and (stor\$3 near1 key)) and (authenticat\$ and ((generat\$ or creat\$ or comput\$ or calculat\$ or produc\$5) near1 key))) and ((informat\$ or data or vector) with ((generat\$ or creat\$ or comput\$ or calculat\$ or produc\$5) near1 key)) and (key near1 usage) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 14:09 |
| 27 | 456 | (713/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or device or computer or customer or consumer or entity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:42 |
| 28 | 93 | ((713/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (vector or information or data)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 14:16 |
| 29 | 75 | (((713/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (vector or information or data))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:43 |
| 30 | 0 | (((713/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (vector or information or data))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3))) and 3gpp | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:08 |
| 31 | 0 | (((713/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (vector or information or data))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3))) and aka | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 14:28 |

| | | | | |
|----|-------|---|---|------------------|
| 32 | 0 | ((713/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (vector or information or data)) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3)) and (third adj generat\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 14:29 |
| 33 | 8 | ((713/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (vector or information or data)) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3)) and (home adj network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:45 |
| 34 | 0 | (713/\$.ccls. and @ad<19991115) and 3gpp | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:35 |
| 35 | 11991 | 380/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:34 |
| 36 | 8201 | 380/\$.ccls. and @ad<19991115 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:34 |
| 37 | 1 | (380/\$.ccls. and @ad<19991115) and 3gpp | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 15:40 |
| 38 | 1 | (380/\$.ccls. and @ad<19991115) and (generat\$ adj1 partner\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:26 |
| 39 | 486 | (380/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 18:46 |
| 40 | 164 | ((380/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:26 |
| 41 | 28 | ((380/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal))) and ((home or base or principal or main or first or origina\$) adj network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:25 |

| | | | | |
|----|-------|--|---|------------------|
| 43 | 0 | ((380/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal))) and ((home or base or principal or main or first or origina\$) adj network)) and (key near usage) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:28 |
| 44 | 11 | ((380/\$.ccls. and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal))) and ((home or base or principal or main or first or origina\$) adj network)) and ((informat\$ or data or vector) with ((generat\$ or creat\$ or comput\$ or calculat\$ or produc\$5) near1 key)) (roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:20 |
| 45 | 91535 | ((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; | 2004/09/22 17:23 |
| 46 | 42856 | ((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; | 2004/09/22 18:44 |
| 47 | 3778 | ((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115 and ((home or base or principal or main or first or origina\$) adj (system or network)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; | 2004/09/22 19:06 |
| 48 | 412 | ((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115 and ((home or base or principal or main or first or origina\$) adj (system or network)) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; | 2004/09/22 18:47 |
| 49 | 0 | ((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115 and ((home or base or principal or main or first or origina\$) adj (system or network)) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal)) and (generat\$ adj1 partner\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:27 |
| 50 | 11 | ((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115 and ((home or base or principal or main or first or origina\$) adj (system or network)) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal)) and (key near usage) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 18:45 |
| 51 | 137 | ((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115 and ((home or base or principal or main or first or origina\$) adj (system or network)) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal)) and GSM | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 18:43 |

| | | | | |
|----|-------|---|---|------------------|
| 52 | 0 | (((((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115) and ((home or base or principal or main or first or origina\$) adj (system or network))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal))) and GSM) and aka | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:18 |
| 53 | 5 | (((((roamed or visited or serving or service or servicing or host or providing or target\$) adj (system or network)) and @ad<19991115) and ((home or base or principal or main or first or origina\$) adj (system or network))) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal))) and GSM) and ((informat\$ or data or vector) with ((generat\$ or creat\$ or comput\$ or calculat\$ or produc\$5) near1 key)) generat\$ adj1 partner\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 17:32 |
| 54 | 2101 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 18:44 |
| 55 | 67 | (generat\$ adj1 partner\$) and @ad<19991115 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:14 |
| 56 | 0 | ((generat\$ adj1 partner\$) and @ad<19991115) and (key near1 usage) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 18:45 |
| 58 | 0 | ((generat\$ adj1 partner\$) and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity)) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:17 |
| 59 | 1 | ((generat\$ adj1 partner\$) and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity)) and authenticat\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 18:48 |
| 57 | 17 | ((generat\$ adj1 partner\$) and @ad<19991115) and ((GSM or mobile or wireless or roam\$ or cellular) near1 (station or client or user or terminal or device or computer or customer or consumer or entity)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 18:50 |
| 60 | 86886 | ((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:07 |
| 61 | 0 | ((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network)) and (authenticat\$ and vector and (key near usage) and gsm and (generat\$ adj2 partner\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:11 |
| 62 | 0 | ((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network)) and (authenticat\$ and (key near usage) and gsm and (generat\$ adj2 partner\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:11 |

| | | | | | |
|----|--|-------|--|---|------------------|
| 63 | | 0 | ((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and (authenticat\$ and (key near usage) and (generat\$ adj2 partner\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:11 |
| 64 | | 6 | ((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and (authenticat\$ and vector and gsm and (generat\$ adj2 partner\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:15 |
| 65 | | 0 | ((((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and (authenticat\$ and vector and gsm and (generat\$ adj2 partner\$))) and @ad<19991115 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:14 |
| 66 | | 46791 | ((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and @ad<19991115 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:15 |
| 67 | | 0 | ((((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and @ad<19991115) and (authenticat\$ and gsm and (generat\$ adj2 partner\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:16 |
| 68 | | 0 | ((((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and @ad<19991115) and (authenticat\$ and (generat\$ adj2 partner\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:16 |
| 69 | | 3 | ((((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and @ad<19991115) and (gsm and (generat\$ adj2 partner\$)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:16 |
| 70 | | 1239 | ((((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and @ad<19991115) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:18 |
| 71 | | 9 | ((((home or base or principal or main or first or origina\$ or roamed or visited or serving or servicing or service) adj (system or network))) and @ad<19991115) and (authenticat\$ near1 (station or client or user or device or computer or customer or consumer or entity or network or server or serving or servic\$3 or terminal))) and aka | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/22 19:18 |